APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/066,070	02/01/2002	Satyendra Yadav	P13652	2485

59796   7590   11/26/2010
INTEL CORPORATION
c/o CPA Global
P.O. BOX 52050
MINNEAPOLIS, MN 55402

EXAMINER
TRUVAN, LEYNNA THANH

ART UNIT	PAPER NUMBER
2435	

NOTIFICATION DATE	DELIVERY MODE
11/26/2010	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

heather.l.adamson@intel.com

DETAILED ACTION

1.   Claims 21, 22, 24-28, and 31-51 are pending.

Claims 1-20, 23, and 29-30 are cancelled.

Response to Arguments

2.   Applicant's arguments filed 2/19/10 have been fully considered but they are not persuasive.

Claims 43-51 remain rejected under 35 U.S.C. 101 because the claims fails to explicitly exclude all forms of transitory media, and thus will be interpreted as to encompassing signals.

Examiner traverses the argument on pg.10 regarding claim 21, that Flowers does not teach or suggest at least the element of an execution are configured to perform operation so to examine a set of instructions embodying an invoked application to identify the invoked application, wherein to examine the set of instructions comprises to apply a hash function to the set of instructions to generate a condensed representation and to compare the condensed representation with existing condensed representation for known applications. Flowers discloses operations to examine and monitor invoked applications but did not clearly discuss to examine a set of instructions and comprises to apply a hash function to the set of instructions to generate a condensed representation and to compare the condensed representation with existing condensed representation for known applications. Naccache discloses the calculation operation can consist in applying a hash function, according to a technique known per

se in the field of data enciphering, such as the SHA-1 hash function established by federal hash standard. In this case it is possible to effect the aforementioned internal change in the running of the monitoring method by cryptographically hashing all the operating codes (considered as numerical values) and the addresses executed since the last initialization carried out (col.5, lines 44-52). Naccache further discloses hashing the instructions of the program and then compared with the referenced (hash) value which is to correspond to the expected value (col.9, lines 23-67). Therefore, it is obvious to use the hashing function of Naccache to generate a condensed representation of instructions in the vulnerability detection system for invoked applications of Flowers as it is applying a known (hash) technique to a known device/method ready for improvement to compare and verify the condensed representation with existing condensed representation for known applications (Naccache - col.3, lines 50-67 and col.9, lines 23-67).

Applicant further argues on pg.11, that Naccache discloses a hashing result for each instruction not a set of instructions. By hashing each instruction obviously result in hashing a set of instructions. The claimed does not specify what constitutes a set (of instructions). Further applicant argues that Naccache does not teach or suggest comparing a condensed representation with existing representations for known applications. Flowers being the primary prior art discloses the claimed application-specific intrusion signatures when specified application is detected where the application ID being a qualifier identifying a particular application (col.6, lines 47-col.7, line 21). Flowers further discusses assigns a reflex signature TO a template type (col.5,

lines 53-55) and each rule is associated with a particular vulnerability ID which can be

numerical or a name and that security engineers need to know what types of attack

signatures to look for, how to look for them, and how to respond to an identified attack in

vulnerability/intrusion detection systems (col.1, lines 49-53). Thus, Flowers reads on

determining the instructions or representation for known applications. Naccache is

brought forth to further teach the obviousness of examining the set of instructions that

comprises hashing the set of instructions to generate a condensed representation and

to compare the condensed representation with existing condensed representation for

known applications. As such, Naccache states the calculation operation can consist in

applying a hash function, according to a technique known per se in the field of data

enciphering, such as the SHA-1 hash function established by federal hash standard

(col.5, lines 44-52). Thus, it is obvious to use the hashing function of Naccache to

generate a condensed representation of instructions in the vulnerability detection

system for invoked applications of Flowers as it is applying a known (hash) technique to

a known device/method ready for improvement to compare and verify the condensed

representation with existing condensed representation for known applications

(Naccache - col.3, lines 50-67 and col.9, lines 23-67). Therefore, the Flowers and

Naccache combination reads on the claimed invention of claim 21.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

> Whoever invents or discovers any new and useful process, machine, manufacture, or composition of
> matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the
> conditions and requirements of this title.

3.   **Claims 43-51 are rejected under 35 U.S.C. 101 because the claimed**

invention is directed to non-statutory subject matter. The instant claims 43-51 are

drawn to a "computer-readable medium", which in light of the disclosure, appears to

encompass electronic signals.

Specification:

> ```
>         [0064] As used herein, the term "machine-readable medium"
> refers to any medium or device used to provide machine instructions
> and/or data to the machine 600. Examples include the medium 635, the
> memory 620, and/or PLDs, FPGAs, ASICs, and the like.  The term
> "machine-readable signal" refers to any signal, such as the signals
> 654, used to provide machine instructions and/or data to the machine
> 600.
> ```

Examiner notes that, the term does not appear to have been defined in the specification

as to explicitly excluding all forms of transitory media, and thus will be interpreted as to

encompassing signals for the purposes of examination. Neither claims nor specification

limits the storage medium as only non-transitory nor the disavow of signals for the

storage medium. Therefore, claims 43-51 are non-statutory, as signals do not fall under

any of the four categories of invention.

Claim Rejections - 35 USC § 103

        The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

4.   Claims 21, 22, 24-28, and 31-51 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Flowers (US 6,957,348), and further in view of Naccache (US

7,168,065).

As per claim 21:

Flowers disclose a system comprising:

a network; and **(col.3, lines 55-57)**

one or more machines coupled with the network, each machine comprising a

communication interface and a memory including an execution area configured to

perform operations **(col.3, lines 18-23 and col.13, lines 40-45)** *to examine a set of*

instructions embodying an invoked application to identify the invoked application **(col.3,**

lines 49-54 and col.7, lines 13-20), *wherein to examine the set of instructions*

comprises to apply a hash function to the set of instructions to generate a condensed

representation and to compare the condensed representation with existing condensed

representation for known applications, obtain application-specific intrusion criteria, the

application-specific intrusion criteria including intrusion signatures and behavior criteria

(col.6, lines 47-54 and col.8, lines 21-25), and monitor network communications for

the invoked application for application-specific intrusion signatures and abnormal

application behavior to detect an intrusion. **(col.3, lines 45-62 and col.4, lines 4-15)**

Although, Flowers discloses operations to examine and monitor invoked

applications but did not clearly discuss to examine a set of instructions and comprises to

apply a hash function to the set of instructions to generate a condensed representation
and to compare the condensed representation with existing condensed representation
for known applications.

Naccache discloses the invention for monitoring the progress in execution of a
series of instructions of a computer program to analyze and verify each of the
instructions has indeed been loaded or executed to the processor (col.3, lines 50-62
and col.8, lines 53-67). The monitoring device can be integrated into a programmed
device which contains the program to be monitored or into a device for executing a
program to be monitored (col.6, lines 28-31). Naccache discloses the calculation
operation can consist in applying a hash function, according to a technique known per
se in the field of data enciphering, such as the SHA-1 hash function established by
federal hash standard. In this case it is possible to effect the aforementioned internal
change in the running of the monitoring method by cryptographically hashing all the
operating codes (considered as numerical values) and the addresses executed since
the last initialization carried out (col.5, lines 44-52). Naccache further discloses hashing
the instructions of the program and then compared with the referenced (hash) value
which is to correspond to the expected value (col.9, lines 23-67).

Therefore, it is obvious to use the hashing function of Naccache to generate a
condensed representation of instructions in the vulnerability detection system for
invoked applications of Flowers as it is applying a known (hash) technique to a known
device/method ready for improvement to compare and verify the condensed
representation with existing condensed representation for known applications

(Naccache - col.3, lines 50-67 and col.9, lines 23-67).

As per claim 22:   See Flowers on col.12, lines 50-57 and Naccache on col.13, lines 15-31 ; discussing the application-specific intrusion criteria comprises a normal communication behavior threshold.

As per claim 24:   See Flowers on col.3, lines 45-62 and col.4, lines 4-15; discussing to monitor network communications comprises monitoring network communications in a network intrusion detection system component running in an execution context with the invoked application.

As per claim 25:   See Flowers on col.3, lines 25-30 and 50-55 and Naccache on col.10, lines 15-23; discussing the operations further comprise to provide an application-specific remedy for a detected intrusion.

As per claim 26:   See Flowers on col.3, lines 50-55 and Naccache on col.7, lines 30-35; discussing to provide an application-specific remedy comprises cutting at least a portion of the network communications for the invoked application.

As per claim 27:   See Flowers on col.3, lines 40-55 and col.4, lines 1-30; discloses the system of claim 24 wherein each machine further comprises a local repository and a security operation center, the security operation center includes a repository, and wherein to obtain the application specific intrusion criteria comprises to: request the application-specific intrusion criteria from a local repository; request the application-specific intrusion criteria from the master repository if the application-specific intrusion criteria is unavailable in the local repository; receive the application-specific intrusion criteria from the master repository if requested; and receive the application-specific

intrusion criteria from the local repository.

As per claim 28:　　See Naccache on col.9, lines 37-67; discussing the system of claim 24 wherein to examine the set of instructions comprises: apply a hash function to the set of instructions to generate a condensed representation; and compare the condensed representation with existing condensed representations for known applications.

As per claim 31:

Flowers disclose a detection method, comprising:

examining a set of instructions embodying an invoked application to identify the invoked application **(col.3, lines 49-54 and col.7, lines 13-20)**, *wherein to examine the set of instructions comprises to apply a hash function to the set of instructions to generate a condensed representation and to compare the condensed representation with existing condensed representation for known applications*;

obtaining application-specific intrusion criteria, the application-specific intrusion criteria including application-specific intrusion signatures and behavior criteria; and **(col.6, lines 47-54 and col.8, lines 21-25)**

monitoring network communications for the invoked application for application-specific intrusion signatures and abnormal application behavior to detect an intrusion. **(col.3, lines 45-62 and col.4, lines 4-15)**

Although, Flowers discloses operations to examine and monitor invoked applications but did not clearly discuss to examine a set of instructions and comprises to apply a hash function to the set of instructions to generate a condensed representation

and to compare the condensed representation with existing condensed representation for known applications.

Naccache discloses the invention for monitoring the progress in execution of a series of instructions of a computer program to analyze and verify each of the instructions has indeed been loaded or executed to the processor (col.3, lines 50-62 and col.8, lines 53-67). The monitoring device can be integrated into a programmed device which contains the program to be monitored or into a device for executing a program to be monitored (col.6, lines 28-31). Naccache discloses the calculation operation can consist in applying a hash function, according to a technique known per se in the field of data enciphering, such as the SHA-1 hash function established by federal hash standard. In this case it is possible to effect the aforementioned internal change in the running of the monitoring method by cryptographically hashing all the operating codes (considered as numerical values) and the addresses executed since the last initialization carried out (col.5, lines 44-52). Naccache further discloses hashing the instructions of the program and then compared with the referenced (hash) value which is to correspond to the expected value (col.9, lines 23-67).

Therefore, it is obvious to use the hashing function of Naccache to generate a condensed representation of instructions in the vulnerability detection system for invoked applications of Flowers as it is applying a known (hash) technique to a known device/method ready for improvement to compare and verify the condensed representation with existing condensed representation for known applications (Naccache - col.3, lines 50-67 and col.9, lines 23-67).

As per claim 32:   See Naccache on col.9, lines 37-67; discussing the method of claim
31, wherein examining a set of instructions embodying an invoked application to identify
the invoked application comprises: applying a hash function to the set of instructions to
generate a condensed representation; and comparing the condensed representation
with existing condensed representations for known applications.

As per claim 33:   See Flowers on col.6, lines 47-54 and col.8, lines 21-25; discussing
the method of claim 31, wherein network communications are monitored for application-
specific intrusion signatures that correspond to the identified invoked application.

As per claim 34:   See Flowers on col.3, lines 50-55 and Naccache on col.7, lines 30-
35; discussing the method of claim 31, further comprising unloading the application-
specific intrusion signatures corresponding to the identified invoked application when
the identified invoked application is terminated.

As per claim 35:   See Flowers on Flowers on col.12, lines 50-57 and Naccache on
col.13, lines 15-31; discussing the method of claim 31, further comprising tracking one
or more characteristics of the network communications to identify application-specific
abnormal communication behavior.

As per claim 36:   See Flowers on col.12, lines 50-57 and Naccache on col.13, lines
15-31; discussing the method of claim 35, wherein tracking one or more characteristics
of the network communications comprises comparing the one or more characteristics
with one or more configurable thresholds.

As per claim 37:   See Flowers on col.3, lines 45-62 and col.4, lines 4-15; discussing
the method of claim 35, wherein monitoring network communications comprises

monitoring network communications in a network intrusion detection system component invoked with the invoked application.

As per claim 38:   See Flowers on col.7, lines 11-26; discussing the method of claim 37, wherein the network intrusion detection system component and the invoked application run within a single execution context.

As per claim 39:   See Flowers on col.3, lines 25-30 and 50-55 and Naccache on col.10, lines 15-23; discussing the method of claim 31, further comprising operations to provide an application-specific remedy for a detected intrusion.

As per claim 40:   See Flowers on col.3, lines 45-55 and Naccache on col.10, lines 15-23; discussing the method of claim 39, wherein operations to provide an application-specific remedy for a detected intrusion comprises cutting at least a portion of the network communications for the invoked application and/or notifying a system administrator of the identified application-specific abnormal communication behavior.

As per claim 41:   See Flowers col.6, lines 47-54 and col.8, lines 21-25; discussing the method of claim 31, wherein obtaining the application-specific intrusion detection signature comprises loading the application-specific intrusion detection signature from a local signature repository.

As per claim 42:   See Flowers on col.3, lines 40-55 and col.4, lines 1-30; discussing the method of claim 31, wherein obtaining the application-specific intrusion detection signature comprises: requesting the application-specific intrusion detection signature from a local signature repository in communication with a remote signature repository;

and receiving the application-specific intrusion detection signature from the local

signature repository.

As per claim 43:

Flowers disclose the machine-readable medium embodying machine instructions

for causing one or more processors to perform operations comprising:

examining a set of instructions embodying an invoked application to identify the

invoked application **(col.3, lines 49-54 and col.7, lines 13-20)**, *wherein to examine the*

set of instructions comprises to apply a hash function to the set of instructions to

generate a condensed representation and to compare the condensed representation

with existing condensed representation for known applications;

obtaining application-specific intrusion criteria, the application-specific intrusion

criteria including application-specific intrusion signatures and behavior criteria; and

(col.6, lines 47-54 and col.8, lines 21-25)

monitoring network communications for the invoked application for application-

specific intrusion signatures and abnormal application behavior to detect an intrusion.

(col.3, lines 45-62 and col.4, lines 4-15)

Although, Flowers discloses operations to examine and monitor invoked

applications but did not clearly discuss to examine a set of instructions and comprises to

apply a hash function to the set of instructions to generate a condensed representation

and to compare the condensed representation with existing condensed representation

for known applications.

Naccache discloses the invention for monitoring the progress in execution of a series of instructions of a computer program to analyze and verify each of the instructions has indeed been loaded or executed to the processor (col.3, lines 50-62 and col.8, lines 53-67). The monitoring device can be integrated into a programmed device which contains the program to be monitored or into a device for executing a program to be monitored (col.6, lines 28-31). Naccache discloses the calculation operation can consist in applying a hash function, according to a technique known per se in the field of data enciphering, such as the SHA-1 hash function established by federal hash standard. In this case it is possible to effect the aforementioned internal change in the running of the monitoring method by cryptographically hashing all the operating codes (considered as numerical values) and the addresses executed since the last initialization carried out (col.5, lines 44-52). Naccache further discloses hashing the instructions of the program and then compared with the referenced (hash) value which is to correspond to the expected value (col.9, lines 23-67).

Therefore, it is obvious to use the hashing function of Naccache to generate a condensed representation of instructions in the vulnerability detection system for invoked applications of Flowers as it is applying a known (hash) technique to a known device/method ready for improvement to compare and verify the condensed representation with existing condensed representation for known applications (Naccache - col.3, lines 50-67 and col.9, lines 23-67).

As per claim 44:   See Naccache on col.9, lines 37-67; discussing the machine-readable medium of claim 43, wherein examining a set of instructions embodying an

invoked application to identify the invoked application comprises: applying a hash function to the set of instructions to generate a condensed representation; and comparing the condensed representation with existing condensed representations for known applications.

As per claim 45:   See Flowers col.6, lines 47-54 and col.8, lines 21-25; discussing the machine-readable storage medium of claim 43, wherein network communications are monitored for application-specific intrusion signatures that correspond to the identified invoked application.

As per claim 46:   See Flowers on col.3, lines 50-55 and Naccache on col.7, lines 30-35; discussing the machine-readable medium of claim 43, further comprising unloading the application-specific intrusion signatures corresponding to the identified invoked application when the identified invoked application is terminated.

As per claim 47:   See Flowers on col.12, lines 50-57 and Naccache on col.13, lines 15-31; discussing the machine-readable medium of claim 43, further comprising tracking one or more characteristics of the network communications to identify application- specific abnormal communication behavior.

As per claim 48:   See Flowers on col.7, lines 11-26 and col.12, lines 50-57 and Naccache on col.13, lines 15-31; discussing the machine-readable medium of claim 47, wherein tracking one or more characteristics of the network communications comprises comparing the one or more characteristics with one or more configurable thresholds.

As per claim 49:   See Flowers on col.3, lines 45-62 and col.4, lines 4-15; discussing the machine-readable medium of claim 47, wherein monitoring network communications

comprises monitoring network communications in a network intrusion detection system component invoked with the invoked application.

As per claim 50:   See Flowers on col.7, lines 11-26; discussing the machine-readable medium of claim 49, wherein the network intrusion detection system component and the invoked application run within a single execution context.

As per claim 51:   See Flowers on col.3, lines 45-55 and Naccache on col.10, lines 15-23; discussing the machine-readable storage medium of claim 43, further comprising operations to provide an application-specific remedy for a detected intrusion.

Conclusion

5.   **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leynna T. Truvan whose telephone number is (571) 272-3851. The examiner can normally be reached on Monday - Thursday (7:00 - 5:00PM) and telework on Wednesday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kim Vu can be reached on (571) 272-3859. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/L. T. T./
Examiner, Art Unit 2435
                          /Kimyen Vu/
                  Supervisory Patent Examiner, Art Unit 2435